

E-NIT

राष्ट्रीय फैशन प्रोद्योगिकी संस्थान

NATIONAL INSTITUTE OF FASHION TECHNOLOGY

(सांविधिक संस्थान निफ्ट अधिनियम 2006 द्वारा शासित और वस्त्र मंत्रालय भारत सरकार के द्वारा स्थापित)

(A statutory body governed by the NIFT Act 2006 and set up by the Ministry of Textiles, Govt. of India)

ई-निविदा दस्तावेज़ निफ्ट हौज खास, नई दिल्ली, के B&E-Block (G.Floor, 1st Floor, 3rd Floor) में सिविल कार्य करवाने के लिए।

| | |
|--|--|
| Date & Time of Publication of Tender notification on official website / e-Portal /CPP Portal | 09.06.2023 |
| Download of Tender Document Commence from | 09.06.2023 |
| Last date & Time of submission of E-Tender Document | 21.06.2023 at 03:00 PM |
| Date and Time of the opening Technical Bids | 22.06.2023 at 03:30 PM |
| Date and Time of the opening Financial Bids | Will be notified to the technically qualified Bidders |

नोट: इस दस्तावेज़ में 19 पृष्ठ शामिल हैं और निविदाकारों से (पृष्ठों की कुल संख्या) अनुरोध है कि वे सभी पृष्ठों पर साईन करें।

NATIONAL INSTITUTE OF FASHION TECHNOLOGY

(A statutory body governed by the NIFT Act 2006 and set up by the Ministry of Textiles, Govt. of India)

E-Tender Document For Civil Maintenance Works in B & E Block (G.Floor, 1st Floor, 3rd Floor) washrooms area at NIFT DC, New Delhi.

Time schedule for tender process:

| | |
|--|---|
| Date of publication of tender notification on official website | 09.06.2023 |
| Uploading of tender document commences from | 09.06.2023 |
| Last date for receipt of duly filled in tenders | 21.06.2023 up to 3.00 PM |
| Date and Time of the opening Technical Bids | 22.06.2023 at 3.30 PM |
| Date and Time of the opening Financial Bids | Will be notified to the technically qualified tenderers |

Note: This tender document contains 19 pages (total no. of pages including Annexure) and tenderers are requested to sign on all the pages.

सूचकांक

| क्रमांक | विवरण | पृष्ठसंख्या |
|---------|-------------------------------|-------------|
| 1. | परिचय | 4 |
| 2. | निविदा आमंत्रित करने का नोटिस | 5-9 |
| 3. | निविदाकारों के लिए निर्देश | |
| 4. | नियम एवं शर्तें | |
| 5. | तकनीकी बोली का प्रोफार्मा | 10-13 |
| 6. | वित्तीय बोली का प्रोफार्मा | 14-19 |

INDEX

| S.No | Particulars | Page No. |
|------|---------------------------|----------|
| 1. | Introduction | 4 |
| 2. | Notice Inviting Tender | 5-9 |
| 3. | Instructions to Tenderers | |
| 4. | Terms & Conditions | |
| 5. | Performa of Technical Bid | 10-13 |
| 6. | Performa of Financial Bid | 14-19 |

परिचय

नेशनल इंस्टीट्यूट ऑफ फैशन टेक्नोलॉजी की स्थापना(एनआईएफटी)1986 में भारत सरकार के वस्त्र मंत्रालय ने की थी, जिसे 2006 में संसद अधिनियम एनआईएफटी अधिनियम(2006) के तहत सांविधिक अधिनियम के तहत वैधानिक दर्जा दिया गया था, जिसमें फैशन प्रौद्योगिकी के क्षेत्र में शिक्षा और अनुसंधान का प्रचार और विकास किया जाता है। एनआईएफटी १८ केंद्रों के अपने नेटवर्क के माध्यम से पूरे देश में फैशन व्यवसाय शिक्षा प्रदान करता है। यह डिजाइन और प्रौद्योगिकी में चार साल के तहत स्नातक कार्यक्रम (यूजी), डिजाइन में दो साल के स्नातकोत्तर कार्यक्रम (पीजी), अथवा फैशन के क्षेत्र में पेशेवर और छात्रों की विशेष आवश्यकताओं को पूरा करने के लिए फैशन प्रबंधन और फैशन प्रौद्योगिकी और लघु अवधि शिक्षा कार्यक्रम प्रदान करता है। एनआईएफटी का बंगलुरु, भोपाल, भुवनेश्वर, चेन्नई, गांधीनगर, हैदराबाद, जोधपुर, कंगड़ा, कन्नूर, कोलकाता, मुंबई, नई दिल्ली, पटना, रायबरेली, शिलांग, और श्रीनगर, पंचकुला और दमन में स्थित कैंपस के साथ नई दिल्ली में अपना प्रधान कार्यालय है। एनआईएफटी दिल्ली कैंपस गुलममोहर पार्क के पास हौज खास में स्थित है। निकटतम मेट्रो स्टेशन ग्रीन पार्क मेट्रो स्टेशन है। रोहित बाल, रितु बेरी, मनीष अरोड़ा जैसे कई प्रतिष्ठित पूर्व छात्र एनआईएफटी दिल्ली से स्नातक की डिग्री प्राप्त की है।

यह विभिन्न प्रकार के नियमित और सीई कार्यक्रमों की पेशकश करता है। इसमें पुराने और सबसे प्रचुर संसाधन केंद्र हैं जिनमें प्रिंट और गैरप्रिंट सामग्री का समृद्ध संग्रह है।-

INTRODUCTION:

National Institute of Fashion Technology (NIFT) was set up by the Ministry of Textiles, Government of India in 1986 which has been accorded statutory status under the Act of Parliament in 2006 (NIFT Act 2006) for the promotion and development of education and research in field of Fashion Technology. NIFT provides fashion business education across the country through its network of 18 Campuses. It provides four years under graduate (UG) program in design and technology, two years post graduate (PG) program in design, fashion management & fashion technology and short duration education program to address the specialized needs of professional and students in the field of fashion. NIFT has its head office at New Delhi with its campuses located at Bengaluru, Bhopal, Bhubaneswar, Chennai, Gandhinagar, Hyderabad, Jodhpur, Kangra, Kannur, Kolkata, Mumbai, New Delhi, Patna, Raibareli, Shillong Srinagar, Panchkula and Daman.

NIFT Delhi Campus situated in the Hauz Khas near Gulmohar Park. The nearest Metro station is Green Park Metro Station. NIFT Delhi has produced a number of eminent alumni over the years like Rohit Bal, Ritu Beri, Manish Arora....It offers a variety of Regular as well as CE programs. It has the oldest and richest Resource Centre having rich collections of print and non-print materials.

NOTICE INVITING TENDER

Sealed limited tender are invited on behalf of the National Institute of Fashion Technology from reputed and eligible agencies who have carried out similar work with Govt. departments/PSUs/Pvt./MNCs, for **“Civil Maintenance Works in B & E Block (G.Floor, 1st Floor, 3rd Floor) washrooms at NIFT DC,New Delhi”**. The terms and conditions of the contract which will govern the contract made are those contained in the General terms and conditions applicable to the contracts are detailed in the tender form and its schedules. Please submit your rates in the tenders form if you are in a position to complete the work in accordance with the requirements stated in the attached schedules at NIFT Campus, New Delhi.

The tenders shall be super scribed with **“Tender for Civil Maintenance Works in B & E Block (G.Floor, 1st Floor, 3rd Floor) washrooms at NIFT DC,New Delhi”**.

NIFT shall have the authority to cancel the tender process if NIFT does not find a suitable tender. NIFT shall have the right to call for fresh tender in such circumstances, wherein tenderers who have bid in the previous tender, shall have the right to participate in the fresh process. The tenderers shall have no right to challenge the authority and decision of NIFT to cancel the tender process for the reasons deemed fit by NIFT.

The site can be inspected any time during working hours on any working days. No extra money shall be payable by NIFT for non awareness of the site conditions and constraints.

Submission of Bids:

- (a) The interested agencies should apply online and submit their tender and the bids along with scanned copies of all the relevant certificates, documents, etc. in support of their bids from 09.06.2023 to 21.06.2023 upto 03.00 P.M. Tender documents is also available for viewing on the “tenders” <https://eprocure.gov.in/eprocure/app>.
- (b) Applications to this tender will be accepted only through the online mode through the website <https://eprocure.gov.in/eprocure/app> . No other mode of application will be considered & application will not be accepted.
- (c) The basic requirements registration and applying for tender online are as under:
 - Operating System should be at least windows 7.
 - Java version: Available at <https://eprocure.gov.in/eprocure/app> -download-JRE 8 download(never update Java)
 - Use Internet Explorer atleast 8.
 - All java add-ons must be enable in the system.
 - Always use Class II Digital Signature Certificates (DSC) having Signing..
- (d) In case of any further clarification required relating to this tender , the same may be sought from the following officers of NIFT:-
 - ☎ ☎ (Query related to scope of work & tender document):- Estate Engineer (Building), NATIONAL INSTITUTE OF FASHION TECHNOLOFY New Delhi ,Hauz Khas , Near Gulmohar park , New Delhi -110016, phone no:011- 26542165 or 01126542173
 - ☎ ☎ ☎ (Query related to online process): For online submission of the tender on e-portal, contact no. 0120-4001002, 0120-4001005, 0120-6277787, email ID- support-eproc@ nic.in

- (e) The agency should ensure that it complies with the requirements as per works before applying for tender.
- (f) The technical bid envelope must contain the technical bid in prescribed Performa along with all relevant documents in support of eligibility and experience criteria. The financial bid envelope must contain only the financial bid. The financial bid shall include all the charges including all taxes etc to complete the work in all respect. NIFT will not accept any claim other than mentioned in financial bid.
- (g) The technical bid will be opened at in the office of Dy. Director Finance, Delhi Centre, New Delhi on 22.06.2023 at 03.30 P.M. in the presence of the bidders/ their authorized representatives who wish to be present. The Financial bid will be opened on the date which will be communicated to only those bidders who are found to be technically qualified after evaluation of technical bids.
- (h) The interested agencies are advised to read carefully the entire tender document before submitting their tender and the tender documents not received online in prescribed format and/or are found incomplete in any respect shall be summarily rejected.

3. INSTRUCTIONS TO TENDERERS:

The tenderers are requested to follow the below mentioned instructions:

1. Offers on original tender document will only be considered. Offers submitted by fax or in any manner other than specified above shall not be considered. The bids shall exactly be according to the prescribed formats. Modifications/Rewording of formats shall not be acceptable.
2. All documentations are required to be in Hindi/English.
3. Tender should be filled with neat legible and correct entries. Indistinct figures, erasures and alterations are not permitted in the tender.
4. Failure to comply with these conditions will result in forfeiting of the tender. Please cross out any mistakes and rewrite the same and counter sign.
5. Incomplete tenders, amendments and additions to tender after opening and tenders submitted after due date shall liable to be ignored.
6. Cost involved in submitting the bids, attending the tender opening meeting, arrangements for the demonstration /presentation etc. shall be borne by the bidder.
7. No tenderer shall be allowed to withdraw the tender rates after opening of the tender. If any tenderer withdraws the rates, he shall be disqualified from participating in any future tender of the Institute.
8. Rates should be offered unconditionally and if rates are submitted with any condition the tender shall be rejected.
9. Criteria of selection of lowest vendor will be the L1 overall for the work.

4. Defect Liability Period:

The work/ materials of the contractor shall be under 12 months Defect Liability Period (DLP). Any defect/s noticed during the defect liability period shall be rectified by the contractor without any cost to NIFT Campus, Hauz Khas, New Delhi, failing which the Security Deposit of the Contractor will be forfeited. The contractor may also be debarred from any future tendering process in the institute for reasons assigned hereinabove.

5. Detail of required Experience Certificates /Work orders:

The Applicant to meet the following minimum experience:

A. Work orders/ Experience of having successfully completed similar work during last 7 (Seven) years ending May, 2023. & estimated value of the work is Rs. 6,55,874/-.

A (1) One similar / civil completed work costing not less than 80% of total tender estimated cost.

Or

A(2) Two similar /civil completed works costing not less than 60% of total tender estimated cost for each work.

Or

A(3) Three similar / civil completed works costing not less than 40% of tender estimated cost for each work

B. Definition of "Similar Work" Experience in carrying out similar nature work i.e. Civil, Electrical and misc. work described in the BOQ in private sector or Govt. organizations/ PSU's/ MNCs.

TERMS & CONDITIONS:

1. No paper shall be detached from the tender.
2. If any date mentioned above happens to be a holiday, then the next working day will be the relevant date.
3. The name and address of the tenderer shall be clearly written in the space provided and no overwriting, correction, insertion shall be permitted in any part of the tender unless duly countersigned by the tenderer. The tender shall be filled in and submitted in strict accordance with the instructions laid down herein; otherwise the tender shall be liable to be rejected by the NIFT unilaterally without assigning any reason or giving explanation to this effect.
4. The tender shall be liable to be ignored/rejected if complete information is not given there-in, or if the particulars and data (if any) asked for in the Schedule to the tender are not filled in or any wrong/false or incorrect information is given or any material thing is concealed or manipulated therein.
5. If the tenderer withdraws or amends impairs or derogates from the tender in any respect within the period of validity of his tender or tenderer fails to furnish the performance guarantee as required in the contract within the stipulated period, NIFT shall be entitled to initiate appropriate legal proceedings against the tenderer for the losses suffered by it as a result of the same.

6. **CONCILIATION/ARBITRATION:**

- a. If any dispute (s) or difference (s) of any kind whatsoever arise between the parties, the parties hereto shall negotiate with a view to its amicable resolution and settlement through a committee appointed Competent Authority, NIFT –Delhi Centre with mutual consent of the other party.
- b. In the event no amicable resolution or settlement is reached between the parties within 30 days after receipt of notice by one party, then the disputes or differences as detailed above shall be referred to and settled by the sole Arbitrator to be appointed by Competent Authority, NIFT Head Office with mutual consent of the other party.

- c. The arbitration proceeding shall be in accordance with the prevailing Arbitration and Conciliation Act, 1996 **(as amended from time to time and in force when the reference is made)** and Laws of India as amended or enacted from time to time.
 - d. The venue of the arbitration shall be New Delhi, India & the language of arbitration shall be English. The fee & other charges of Arbitrator shall be determined by the arbitrator in terms of the Act and shall be shared equally between the parties.
 - e. The arbitrator shall have powers to award only such remedy as is contemplated by this Agreement, including as appropriate, injunctive relief.
 - f. The arbitrator will give the speaking and the reasoned Award. The parties will not be entitled to any pendent-lite interest during arbitration proceedings.
 - g. **In case any dispute still remains unsettled, in that event, the same shall be adjudicated by the Courts of Law at New Delhi**
7. Tender shall be accompanied by all the relevant documents covered in the tender.
 8. The full & final payment shall be made by the purchaser i.e. NIFT only after completion of work. No advance payment will be made for supply of materials/machines/equipments.
 9. The successful tenderer shall deposit 3% of the quoted price of the equipment(s) as Performance Security with NIFT within 10 days after award of work in shape of Demand Draft/ Bank Guarantee (in favour of NIFT, New Delhi),. No interest shall accrue on this deposit.
 10. The agency shall be liable with regard to compliance of all laws, regulations, rules & directions given by any statutory or constitutional authority for the time being in force in the state of Delhi.
 11. The quoted rates shall be inclusive of all tax. As applicable and no extra shall be payable on this account.
 12. The date of start of work will be reckoning after 10 days from the date of issue of work order.
 13. MSME and Startups Organization participating in the tenders are exempted to submit tender cost/EMD while submitting tender.
 14. If the work is not completed within the stipulated time period (30 days), in such case liquidated damages @ 1% per week shall be charged and deducted from the bills of the agency subject to maximum of 10% of the contract / bill value.
 15. The materials supplied and proposed to be used in the work shall be of requisite specifications as specified in NIT, as per specification given in BOQ. All specification/ makes should be executed as per CPWD specification if any make not mentioned in the BOQ/NIT.
 16. Agency is required to verify all the material from Engineer-in-charge before execution.
 17. The quantities of work given in the Bill of Quantities (BOQ) are approximate to give an idea of work. Work shall be carried out as per the given design / specifications and the quantities may vary on higher or lower side. The contractor shall execute the varied quantity of work on the quoted rates. The payment shall be made as per actual measurement of work Contractor shall be solely responsible for safety of his workers, working at site by following all safety norms in the trade.
 18. The contractor may apply to the Engineer-in-Charge within 14 days in writing for extension of time as per Annexure- 36 or Annexure- 37, as the case may be, stating the grounds that hindered the execution of work. As per the CPWD Works Manual 2022 SOPs 5/25 2022.
 19. The forfeiture of earnest money shall be done as per the General Conditions of Contract 2020 of CPWD Construction Works.
 20. The Engineer-in-Charge may, without prejudice to any other rights or remedy against the contractor in

respect of any delay, not following safety norms, inferior workmanship, any claims for damages and/or any other provisions of this contract or otherwise, and whether the date of completion has or has not elapsed, by notice in writing absolutely determine the contract, as per the Clause 3 as per the General Conditions of Contract 2020 of CPWD Construction Works.

21. The contractor shall submit completion plans for Internal and External Civil, Electrical and Mechanical Services or works within thirty days of the completion of the work, provided that the service plans having been issued for execution by the Engineer-in-Charge, unless the contractor, by virtue of any other provision in the contract, is required to prepare such plans. In case, the contractor fails to submit the completion plan as aforesaid, he shall be liable to pay a sum of 0.1 % (zero point one percent) of accepted Tendered Value or limit prescribed in Schedule F whichever is more as may be fixed by the authority as mentioned in Schedule F and in this respect the decision of the that authority shall be final and binding on the contractor.
22. All risks of loss or damage to physical property and of injury and death which arise during and in consequence of the performance of the Contract other than the excepted risks are the responsibility of the Contractor. Excepted Risks are:
- a. (i) War, hostilities (whether war be declared or not), invasion, act of foreign enemies.
(ii) Rebellion, revolution, insurrection, or military or usurped power, or civil war,

(iii) Ionizing radiations, or contamination by radio-activity from any nuclear fuel, or From any nuclear waste from the combustion of nuclear fuel, radio-active toxic

Explosive, or other hazardous properties of any explosive nuclear assembly or Nuclear component therefore.

(iv) Pressure waves caused by aircraft or other aerial devices traveling at sonic or Supersonic speed.
 - b. Loss or damage due to the use or occupation by the Employer of any section or part of the Permanent Works, except as may be provided for in the Contract.
 - c. loss or damage to the extent that it is due to the design of the Works, other than any part of the design provided by the Contractor or for which the Contractor is responsible.

Earnest Money Deposit : Rs. 19,500/-
Commencing date of Tender : 09.06.2023
Last date of submission : 21.06.2023 up to 3.00 PM
Date of opening of Tender (Technical Bid) : 22.06.2023 at 3.30 PM

Estate Engineer
NIFT Delhi Campus

PROFORMA FOR PERFORMANCE BANK GUARANTEE

(on stamp paper of appropriate value from any Nationalized Bank)

To,

M/s National Institute of Fashion Technology,

Hauz Khas, New Delhi.

Dear Sir,

In consideration of National Institute of Fashion Technology (hereinafter called as the Employer which expression shall include his successor and assigns having awarded to (here in after referred to as the said Contractor or Contractor' when expression shall wherever the subject of context so permits include its successors and assigns) a contract No. In terms inter alias, of the NIFT's Letter No. dated. and the General Conditions of Contract and upon the condition of the contractor's furnishing security for the performance of the contractor's obligations and discharge of the contractor's liability under in connection with the said contract up to a sum of Rs..... (Rupees..... Only) amounting to 5% (Five) percent of the total contract value.

1. We. (here in after called "The Bank which expression shall include its successors and assigns) hereby jointly and severally undertake to guarantee the payment to The Employer in rupees forthwith on demand in writing and without protest of demur or any and all moneys anyway payable by the contractor to The Employer under in respect of or in connection with the side contract inclusive of all The Employer's losses and damages and costs, (inclusive between attorney and client) charges and expenses and other moneys anyway payable in respect of the above to this guarantee up to an aggregate limit of Rs. (Rupees.....only).

2. We Bank further agree that The Employer shall be sole judge of and as to whether the said contractor has committed any breach or breaches of any of the terms and conditions of the said contract and the extent of loss, damage, cost, charges and expenses caused to or suffered by or that may be caused to or suffered by The Employer on account and the decisions of The Employer that the said Contractor has committed such breach or breaches and as to the amount or amounts of loss, damage, costs, charges and expenses caused to or suffered by The Employer from time to time shall be final and binding on us.

3. The Employer shall be at liberty without reference to the bank and without affecting the full liability of the bank hereunder to take any other security in respect of the Contractor's obligations and liabilities hereunder or to vary the contract or the work to be done there under vis-à-vis the Contractor or to grant time or indulgence to the Contractor or to reduce or to increase or otherwise vary the prices of the total contract value or to release or to forbear from enforcement of all or any of the security and/ or any other security (ies) now or hereafter held by the Employer and no such dealing (s) reduction (s) increase (s) or other indulgence (s) or arrangements with the Contractor or release or forbearance whatsoever shall absolve the Bank of the fail liability to The Employer hereunder or prejudice the rights of The Employer against the bank.

4. This guarantee shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the Contractor but shall in all respect and for all purposes be binding and operative until payment of all monies payable to The Employer in terms thereof.

5. The bank hereby waives all rights at any time inconsistent with the terms of this guarantee and the obligations of the bank in terms hereof shall not be anywise affected or suspended by reason of any dispute or dispute having been raised by the Contractor stopping or preventing or purporting to stop or prevent any payment by the bank to The Employer in terms hereof.

6. The amount stated in any notice of demand addressed by the Employer to the bank as liable to be paid to the Employer by the Contractor or as suffered or incurred by The Employer on account of any losses or damages of cost, costs, charges and / or expenses shall be conclusive evidence of the amount so liable to be paid to The Employer as the case may be and shall be payable by the bank to The Employer in terms hereof.

7. This guarantee shall be a continuing guarantee and shall remain valid and irrevocable for all claims of the Employer and liabilities of the contractor arising up to and until midnight of.....

8. This guarantee shall be addition to any other guarantee or security whatsoever that The Employer may now or at any time anywise may have in relation to the contractor's obligations/ or liabilities under and/ or in connection with the said contract, and The Employer shall have full authority to have recourse to or enforce this security in preference to any other guarantee or security which The Employer may have or obtained and no forbearance on the part of The Employer in enforcing or requiring enforcement of any other security shall have the effect of releasing the Bank from its full liability hereunder.

9. It shall not be necessary for the Employer to proceed against the said Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the bank notwithstanding that any security which the Employer may have obtained or obtain from the contractor shall at the time when proceedings are taken against the said bank hereunder be outstanding or unrealized.

10. We the said Bank undertake not to revoke this guarantee during its currency except with the consent of the Employer in writing and agree that any change in the constitution of the said contractor or the said Bank shall not discharge our liability hereunder.

11. We.the said Bank further hold that we shall pay forthwith the amount stated in the notice of demand notwithstanding any dispute/ difference pending between the parties before the arbitrator and/ or that any dispute is being referred to arbitration.

12. Notwithstanding anything contained herein above, our liability under this guarantee shall be restricted to Rs..... (Rupees.....) and this guarantee shall remain in force tilland unless a claim is made on us within 3 months from that date, that is before all the claims under this guarantee shall be forfeited and we shall be relived of and discharged from our liabilities thereunder.

Dated.....day of.....2023

For and on behalf of Bank

Issued under seal

तकनीकी बोली
TECHNICAL BID

बोलीदाता की अंडर टेकिंग
UNDERTAKING FROM THE BIDDER

सेवा मे,

निदेशक

राष्ट्रीय फैशन टेक्नोलॉजी संस्थान, दिल्ली केंद्र

नई दिल्ली

महोदय/महोदया,

We hereby unconditionally accept all terms and condition mentioned in “**Repair/Maintenance work in the toilets of (B&E-Block), NIFT Campus, Hauz Khas, New Delhi**”.

We hereby also confirm and declare that we, M/s -----, is not blacklisted/ De-registered/ debarred by any Government department/ Public Sector Undertaking/ Private Sector/ or any other agency for which we have Executed/ Undertaken the works/ Services during the last 5 years. “If any information supplied by the company is found to be incorrect at any point of time later, NIFT shall have the right to terminate the contract”

सादर,

(अधिकृत हस्ताक्षरकर्ता)

(कंपनी की मोहर)

TECHNICAL BID**(To be kept in separate sealed envelope super scribed as "Technical Bid")**

1. Name of the Agency/Firm :
2. Name of the authorized person
(Who signs on the tender document) :
3. Address of the Agency/ Firm :
4. Phone No. :
5. Mobile No. :
6. Fax No. :
7. Email :

Document to be submitted:

| S. No | Particulars | Attached at pg. no | Remark |
|-------|---|--------------------|------------------------------------|
| 1 | Whether "Technical"&"Price" bids submitted separately and the respective envelopes super scribed properly. | | Yes / No |
| 2 | Work completion period (Within 30 days) | | Yes/ No |
| 3 | GST No. | | Copy of certificate to be attached |
| 4 | PAN Number | | Copy of certificate to be attached |
| 5 | Have you ever been debarred by any Govt. organization/PSU/ Educational Institute | | Yes / No |
| 6 | Work order/ Certificate regarding carried out similar works with Govt. departments/PSU's/MNC/ private sector during last7 years | | Copy of certificate to be attached |
| 7 | Whether agreed to abide by all the terms & conditions of this tender | | Yes / No |
| 8 | EMD amount of Rs.19,500/- | | Yes / No |

All above enclosures must be enclosed (wherever applicable)

FINANCIAL BID**(To be kept in separate sealed envelope super scribed as "Financial Bid")****(Financial Bid)**

| Repair/ Maintenance work of Toilets (B&E-Block) in NIFT Delhi Campus, Hauz Khas, New Delhi. | | | | | |
|--|---|-------------|------------|---------------------------|--------------------|
| S.No. | Item | Unit | Qty | Rate per unit (Rs) | Amount (Rs) |
| 1 | <p>Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 m center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive)</p> | SQM | 40 | | |

| | | | | |
|---|---|-----|----|--|
| | and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece. | | | |
| 2 | <p>Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanizing @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main'T' at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to form grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle pre-coated steel of size(24x24X3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calicum silicate ceiling tiles of approved texture in the grid, including, cutting/ making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm centre to centre along main 'T', bottom exposed with 24 mm of all Tsections shall be pre-painted with polyster baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-Charge. Note :- Only calcium silicate</p> | SQM | 80 | |

| | | | | | |
|---|---|-----|-----|--|--|
| | false ceiling area will be measured from wall to wall. No deduction shall be made for exposed frames/ opening (cut outs) having area less than 0.30 sqm. The calcium silicate ceiling tile shall have NRC value of 0.50 (Minimum), light reflection > 85%, non-combustible as per B.S. 476 part IV, 100% humidity resistance and also having thermal conductivity < 0.043 w/mK | | | | |
| 3 | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. | SQM | 550 | | |
| 4 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. | SQM | 550 | | |
| 5 | Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre. | SQM | 550 | | |
| 6 | Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: One or more coats on old work | SQM | 550 | | |
| 7 | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work | SQM | 140 | | |
| 8 | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1 cement : 4 fine sand) sqm 417.80 | SQM | 42 | | |
| 9 | Providing and fixing ISI marked flush door shutters conforming to IS : 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws 2202 (Part I) non-decorative type, core of block | SQM | 10 | | |

| | | | | | |
|----|---|------|-----|--|--|
| | board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: | | | | |
| 10 | Providing wood work in frames of doors, windows, clerestory windows Sal wood and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). | CUM | 0.3 | | |
| 11 | Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. | each | 7 | | |
| 12 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below | Each | 7 | | |
| 13 | SITC of 250 mm exhaust fan (crompton, havel, luminus & usha) , work include cutting & dismantling of window glass, wooden frame etc as per the requirement. | Job | 10 | | |
| 14 | Sealing of flooring gaps, verical joints with walls and any other gaps with water based sealent along with waterproofing material complete in all respect as per diections of Engineer-In-Charge. | sqm | 100 | | |
| 15 | Sealing of Traps and anyother opening with water based sealent along with waterproofing material complete in all respect as per diections of Engineer-In-Charge. | jobs | 40 | | |

| | | | | | |
|----|--|------|----|--|--|
| 16 | SITC of the LED Light 9/10W recess type including cutting/ repairing of false ceiling, connection etc, complete in all respect. | Nos | 40 | | |
| 17 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :Powder coated aluminium (minimum thickness of powder coating 50 micron) | Kg | 80 | | |
| 18 | For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron) | Kg | 60 | | |
| 19 | Providing and fixing 12 mm thick pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side. | SQM | 8 | | |
| 20 | Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete : 250x10 mm. | each | 12 | | |

| | | | | | |
|----|---|------|-----------|--|--|
| 21 | Providing and fixing bright finished brass handles with screws etc.complete:125 mm | each | 24 | | |
| 22 | Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete. | each | 12 | | |
| | | | Total | | |
| | | | Add GST | | |
| | | | Net Total | | |

Signature of contractor with rubber stamp

Net Total (in Rupees & in words):

.....

I/We have carefully read the terms and conditions of the Tender/Quotation and are agreed to abide by these in letter and spirit.

Signature _____

Name & Address of the Agency _____

Date: Telephone No. _____

Place: Mobile No. _____