



राष्ट्रीय फैशन प्रौद्योगिकी संस्थान, कन्नूर
(वस्त्र मंत्रालय, भारत सरकार)

National Institute of Fashion Technology, Kannur
Ministry of Textiles, Government of India
(An ISO 9001:2008 Certified Institute)

File NIFT-KNR/FP/274/2022

06.03.2023

Notice Inviting Quotation

NIFT – Kannur invites quotations from the reputed suppliers/dealers of Furniture Items to supply the items enclosed (**Annexure I**). We request you submit your best/competitive rates in the enclosed format and by hand /post/courier so has to reach the National Institute of Fashion Technology, NIFT Campus, Mangattuparamba, Kannur-670562 on or before 15.03.2023, 5.30PM.

Terms and Conditions

1. Rates inclusive of all taxes, duties, transportation, loading, unloading and installation charges etc.,
2. The items shall be delivered within 30 days of issue of purchase order at NIFT, Kannur campus.
3. The Sample /model products shall be provide to NIFT for approval before bulk supply.
4. NIFT, Kannur will provide GST No. based on that GST invoice should be raised.
5. 03 year warranty from the date of supply and certification by NIFT authority.
6. Payments will be made within 7 days against satisfactory supply and acceptance of the items by competent authority.

Note: Vendors are advised to see the model kept in NIFT, Kannur and get the specifications of the items clarified before quoting their rates.

D-4 6/3/23
क्रय अधिकारी
Purchase officer

Copy for display on the notice board as per the list:

1. Muncipal office, Anthoor
2. Village office, Morazha.
3. NIFT, Kannur, Notice Board

डिजाइन मैनेजमेंट और प्रौद्योगिकी का महाविद्यालय
A Premier Institute of Design, Management and Technology
Set up under an Act of Parliament

Annexure I

Price Bid

Sl. No.	Item Name	Specification	Qty	Rate/Unit (Rs.)	GST (Rs.)	Total Amount (Rs.)
01	Art Table	Size 1066mm(L), 734mm(w), 770mm(h), made up of pre-laminated particle board of 20mm thick fitted on a metal frame consisting of 25mm(w)x50mm(h)x section with 16 gauges and painted with approved colour enamel paint/powder coated finish. The table top is to be arranged with suitable mechanism with adjustable angle of 30-45 degrees. The table is to strengthen with a stiffener member (square pipe of 25x25mm) etc. The bottom of the table is to be strengthen with square pipe of 25mm W, 50mm H and with bush.	16 Nos.			

Total Amount in words:

.....

.....

Supplier Name:

Address:

Phone No:

Signature with Seal:

Date:

Picture Model



Note: Vendors are advised to see the model kept in NIFT, Kannur and get the specifications of the items clarified before quoting their rates.