

File No. : NIFT/HO/DD(F&A)-II/Appointment of vendor
For Tally Services/2019-2020

Date: 11.09.2019

CORRIGENDUM

Subject: Notice Inviting Tender (NIT) of even number NIFT/HO/DD (F&A)-II/Appointment of vendor For Tally Services/2019-2020 dated 22.08.2019 inviting tender for above service for NIFT

With reference to the subject mentioned above, it is hereby notified for general information that under original floated tender for Appointment of vendor for Tally Services in NIFT, some modifications have been done on the basis of suggestions of representatives of bidders presented during the Pre-Bid meeting held on 30.08.2019 at NIFT Head Office at 3:00 PM.

Due to this effect, the following shall be inserted/modified in the earlier one:

S.No.	Query Raised/Point Discussed	Management Reply/Modification Allowed
1)	Point No. 05 of Clause - 4 eligibility criteria- The matter was discussed and it is found that purchase order criteria of Rs. 1 crore or above and employee base of 3000 condition is much high in comparison present structure of NIFT, therefore the same maybe modified.	Agreed. The turnover criteria are changed to Rs. 75 Lakh or above for a single project from earlier criteria of Rs. 1 crore or above. The existing criteria of having employee base of 3000 or above is replaced with 2000 or above employees.
2)	In Clause - 6 of Phase 3 at Page No. 12 of the Clause - 5 of the tender, the condition has been given that any additional work and training in case undertaken should be on the basis of mandate rate quoted, however in financial bid in Page No. 17 no column has been provided for quoting the rate. Further place of training may also be provided.	Agreed. A column is inserted for quoting the price of training according to man days in Financial Bid Performa. Further the training place will be at NIFT Gandhi Nagar/Mumbai Campus.
3)	In Point No. 05 of the Phase 1 of the Clause 5 of the tender at Page No. 09, it was given that DR to be provided as a service considering all the applications services being accessed from DC should be accessed from DR in case of non-availability of DC with only 20% processing capability and 100% storage. It was asked by the bidder whether DR should be active site or passive site.	Agreed. DR site will be passive only.

NIFT Institute of Design, Management and Technology
(An ISO 9001:2015 Certified Institute)

NIFT Campus, Near Tughlakpur, New Delhi - 110016
Phone: 011-26312120, 26312170 | Fax: 011-26251120 | Email: nift@nift.ac.in

The other terms & conditions contained in original Notice (NIT) shall remain intact.

Further an extension up to 17.09.2019 is also given to the bidders for submission of tender.



Rahu Tyagi
Deputy Director (F&A)
NIFT (Head Office)

Encl: As Above