

राष्ट्रीय फैशन प्रौद्योगिकी संस्थान

National Institute of Fashion Technology

Expressions of interest for following services.

Sr. No.	Expression of Interest for	Date of Publishing	Last Date for Submission
1	Apparel Manufacturer	06/08/2020	12/08/2020
2	Textiles Suppliers	00/00/2020	12/00/2020

निफ्ट कैंपस, छेब, कांगडा, हिमाचल प्रदेश- १७६००१

NIFT Campus, Chheb, Kangra, Himachal Pradesh – 176001 Phone No. 01892-260872-5, Fax No. 01892-263872

1. INTRODUCTION:

National Institute of Fashion Technology (NIFT) was set up by the Ministry of Textiles, Government of India in 1986 which has been accorded statutory status under the Act of Parliament in 2006 (NIFT Act 2006) for the promotion and development of education and research in field of Fashion Technology. NIFT provides fashion business education across the country through its network of 16 centres. It provides four years under graduate (UG) program in design and technology, two years post graduate (PG) program in design, fashion management & fashion technology and short duration education program to address the specialized needs of professional and students in the field of fashion. NIFT has its head office at New Delhi with its campuses located at Bengaluru, Bhopal, Bhubaneswar, Chennai, Gandhinagar, Hyderabad, Jodhpur, Kangra, Kannur, Kolkata, Mumbai, New Delhi, Patna, Raibareli, Shillong and Srinagar.

NIFT, Kangra was established in the year 2009 with five undergraduate courses.

Expression of interest is invited from professionally qualified and interested service provider / manufacturer.

- 1. Textile supplier
- 2. Apparel Manufacturer,

1. Textiles Suppliers

Textiles manufactures are required to supply the textiles as per the specification of the requirement mentioned below.

Particulars	SHIRT FABRIC	TROUSER FABRIC	BLAZER FABRIC
QUALITY AND BLE	IND 100%	P/V (70/30)	P/V (65/35)
RATIO	COTTON		
COLOUR	WHITE	GREY MILANGE	NAVY BLUE
WEAVE	Plain	Twill	Twill
GSM / GLM	160 GSM	240 GSM	360 GLM
Width	57-58"inches	57-58"inches	58"
Quantity	1350 m	860 m	1400 m

2. Apparel Manufacturer,

Definitions

This specification shall govern the manufacture and inspection of Jacket, Male & Female a total of 750 nos. The breakup of size and quantity will be advised further upon selection.

This specification, viewing sample, drawing or other information issued in connection therewith, may only be used for specific enquiries, tenders, or orders placed on behalf of the NIFT Kangra.

This specification supersedes all previous specifications for Jacket, Male & Female.

Specifications

1. Shirt

- Stitching and seam details
- 2. French or lap and fell seam at side seam.
- 3. No more than 2 joint stitch in whole shirt construction.
- 4. No puckering at any seam.
- 5. SPI 18-22
- 6. Front placket to be finished with kansai special 4 needle chain stitch.
- 7. Material and trims
- 8. Microdot fusing to be used at collar, collar band and cuff.
- 9. For uniformity fusing to be done by conveyor belt fusing machine.

2. Trousers

- Stitching and seams details
- 2. Waist band grip to be customised with client logo.
- 3. Inside raw edge of all seams to be finished with bound seam and 3 thread over lock by industrial over lock sewing machine with stitch byte 4 mm.
- 4. There should be no seam grim at any seam.
- 5. Stitching thread 2 ply polyester thread.
- 6. SPI- 14-16

3. Jackets

Materials

- 1. Shell Shall be made of Cloth, P/V (65/35), NAVY BLUE, Twill, 360 gsm
- 2. **Under Collar** A good quality, commercially available under collar comparable in colour to shell material shall consist of one ply of bias cut canvas pad-stitched to felt.
- 3. Lining
 - **1. Body & Sleeves** Shall be made of 100% Acetate and shall be 110 g/m2 \pm 8 g/m2 and dark navy of comparable colour to the shell material
 - **2. Pockets** The pockets shall be lined with fabric equivalent or similar to the viewing sample.

4. Interlining

1. Fusibles - Care shall be taken to ensure that the fusible interlinings after application to the shell material shrink no more than the predicted shrinkage of the shell materials. All fusible interlinings shall have polyamide or a polyamide blend resin constructed in a dot pattern and sufficient in concentration for no delamination to occur after commercial dry cleaning. The fusing procedures shall be those recommended by the fusible interlining supplier. The fused products shall show no evidence of migration of colour or degradation of the shell material. All fusing operations shall be single fuse. Double fusing is unacceptable.

The fusible interlining shall be plain or twill weave, polyester viscose blend with a mass of $125 \text{ g/m}2 \pm 8 \text{ g/m}2$. It shall be black or grey in colour and meet all requirements outlined above.

- 1 Chest Piece The fronts shall have a chest piece made of canvas interlining and one ply of light felt as per the viewing sample. The canvas and felt shall be dimensioned and zigzag stitched together. The chest piece shall be good quality and constructed using good commercial standards.
- 2 Sleeve Head Pads The sleeve head pads shall be either canvas or scrim with a white wadding filler of good commercial standard and quality.
- **3. Shoulder Pads** The shoulder pads shall be of good quality, using white wadding as filler.
- **4. Buttons** Two sizes of buttons shall be used for the male jackets and for the female jackets. Male and Female Jackets:
 - 19mm, 8 ea. right front (both male and female) and pockets
 - 17mm, 6 ea. cuffs and shoulder straps

Size and Dimensions - Jackets, male and female sizes to this specification shall be supplied in the sizes specified by the NIFT Kangra to the dimensions given in the scale of measurements supplied later. The garment components shall be shaped, dimensioned and positioned in accordance with the pattern requirements as outlined in drawing.

2. Construction

- 1. **Stitching** All stitching shall be lockstitch or lockchain stitch. There shall be no less than four and no more than five stitches per centimetre. The beginning and ending of all stitching shall be securely backstitched, unless secured by other stitching. Collar felling shall have no less than 5 stitches per 2.5 cm. Felling of the hem and front facings shall have no less than 4 stitches per 2.5 cm. The stitches shall present a regular, even, appearance without fabric puckers and shall be free from skips or other stitching malfunctions that may result from faulty machine thread tension.
- 2. **Body** The jacket, made of shell material specified in Para. 2.3.1.1, shall be fully lined with the materials specified in Para. 2.3.1.3. The jacket shall have a back seam, with a center back vent beginning at the natural waistline. There shall be 25 mm turn-up and 25 mm outlet on the side seams.
- 3. Collar Under collar stiffener of good quality, commercially available shall be bias cut. The top collar shall be one piece of shell material with both ends reinforced with fusible interlining. The collar construction may be open or sandwich type, ensuring that no canvas is exposed. The top collar shall be seamed to the gorge of the facing, the seam pressed open and tacked to the gorge of the garment. The neck edge of the felt under collar shall be felled to the back neckline either by hand or machine. The under collar shall not show when the collar is folded in place. Each side of the collar when finished shall be equipped with two punch holes positioned using the template included in drawing #8 and the viewing sample.
- 4. **Coat Hanger** A coat hanger of material in accordance with the viewing sample shall be centered at the back of the neck and attached by inserting in the collar seam.
- 5. **Finishing** The lining at the armholes shall be hand felled or machine sewn. The bottom hem and facings of the jacket shall be felled, or machine sewn.
- 6. **Pressing** Each garment shall be properly pressed in accordance with good commercial practice to the satisfaction of the NIFT Kangra

Technical Qualifications

No.	Descriptions	To be filled by the Manufacturer /
		Service Provider
1.	Name of Firm/Company/Agency / Proprietor	
2.	Registration No. of Firm/Company/Agency	
3.	Address of the firm along with Telephone No.	
4.	PAN No.(Proof to be attached)	
5.	GST No.(Proof to be attached)	
6.	Bank Account Number with IFSC Code.	

The GST registration compulsory for the category for Garment Construction / Textile Manufacturer.

Financial Bid for Textile Suppliers

Sr.	Particulars			SHIRT	TROUSER	BLAZER FABRIC
No.				FABRIC	FABRIC	
1	QUALITY	AND	BLEND	100%	P/V (70/30)	P/V (65/35)
	RATIO			COTTON		
2	COLOUR			WHITE	GREY MILANGE	NAVY BLUE
3	WEAVE			Plain	Twill	Twill
4	GSM / GLM			160 GSM	240 GSM	360 GLM
5	Width			57-58"inches	57-58"inches	58" I
6	Quantity			1350 m	860 m	1400 m
	in Rupees as	•	Quantity	Rs.	Rs.	Rs.
ment	tioned in the S	r. No.6				
Total	l Cost					
				Rs.		

Total Cost in Word Rupees		
	Only.	
Date:		
Place:		
		(Signature of the Authorized person)
	Name	
	Designation	on
	Company	Seal

Financial Bid for Apparel Manufacturer

Sr. No.	Particulars	Total Cost
1	Apparel Manufacturing for 750 Set of Shirt, Trouser and Blazers	
	as per the specification mentioned in the Documents	

Total Cost in Word Rupees		-
	Only.	
Date:		
Place:		
	(Signature of the Authorized person	ı)
	Name	
	Designation	
	Company Seal	

The eligible organizations/agencies/individual interested in rendering their services as per above may submit EoI in sealed envelope, superscribing the title "EoI for engaging Textile Supplier or Apparel Manufacturer" at National Institute of Fashion technology, NIFT Campus, Chheb, Kangra, Himachal Pradesh 176001

Note:- The timeline for supplying fabric is 07 days and for supplying garments cut make packed and delivered by 05 September 2020.

Payments Terms and Conditions:-

1. Payments will be release after successful supply of textiles / apparel manufacturing as per the specification and certified by the committee.