



NIT No.: e-05/2023(Pur-Kol)



राष्ट्रीय फैशन प्रौद्योगिकी संस्थान,कोलकाता केन्द्र

(वस्त्र मंत्रालय, भारत सरकार)

NATIONAL INSTITUTE OF FASHION TECHNOLOGY, KOLKATA

(A Statutory Body governed by the NIFT Act 2006 & set up by Ministry of Textiles, Govt. of India)

TENDER

For

Upgradation of sanitary items/fitting with some original works at existing all toilet complex, NIFT Kolkata

Tender No.: e-05/2023(Pur-Kol)

OPENING DATE FOR ONLINE SUBMISSION OF TENDER	05/07/2023
CLOSING DATE FOR ONLINE SUBMISSION OF TENDER	25/07/2023upto 2.00pm
Date and time of opening of tenders (Technical Bid)	26/07/2023 at 10.00am

PREAMBLE / INTRODUCTION

National Institute of Fashion Technology is a Statutory Body governed by the NIFT Act 2006 & set up by the Ministry of Textiles, Govt. of India

Note: 1. NIFT Donations are exempted u/s 80 (G) of Income Tax Act.

2. Being registered with DSIR, NIFT is entitled for Custom/Central Excise duty exemption. INTRODUCTION

National Institute of Fashion Technology (NIFT was set up by the Ministry of Textiles Government of India in 1986 which has been accorded statutory status under the Act of Parliament in 2006 (NIFT Act 2006) for the promotion and development of education and research in field of Fashion Technology. NIFT provides fashion business education across the country through its network of 16 centers. It provides four years under graduate (UG) program in design and technology, two years post graduate (PG) program in Management to address the specialized needs of professional and students in the field on fashion. NIFT has its head office at New Delhi with its campuses located at Bengaluru, Bhopal, Bhubaneswar, Chennai, Gandhinanagar, Hyderabad, Jodhpur, Kangra, Kannur, Kolkata, Mumbai, New Delhi, Patna, Rae Bareli, Shillong and Srinagar.

Founded in 1995, National Institute of Fashion Technology (NIFT), Kolkata is providing education in the field of Design, Technology and Management. NIFT Kolkata is one of the five oldest Centres among the NIFT fraternity and stands as a pioneer of fashion training and research.





NIT No.: e-05/2023(Pur-Kol)

NOTICE INVITING TENDER

NIFT, Kolkata invites **online** tender under <u>two bid systems</u> for "Upgradation of sanitary items/fitting with some original works at existing all toilet complex, NIFT Kolkata" from eligible reputed Firms/Agencies having at least 03 (three) years work experience in executing similar kind of services/jobs in Central/State Govt. Department /PSUs/MNCs Reputed Academic Institutes/Organizations.

SUBMISSION OF BID AND AVAILABILITY OF TENDER DOCUMENT

i. Complete set of Bidding Document in English may be downloaded at free of cost from CPP Portal (URL: https://eprocure.gov.in/eprocure/app) and from NIFT's website URL:https://nift.ac.in/kolkata.

Corrigendum/addendum, if any, shall be published only on the aforesaid website and separate communication in this regard will not be sent for the same to any individual.

- ii. Instructions regarding submission of online bids are available at URL: https://eprocure.gov.in/eprocure/app
- iii. Bids shall be submitted through online only. Manual / physical bids will not be accepted.
- iv. On submission of online bid, please intimate the same to the e-mail ID: purchase.kolkata@nift.ac.in

A) Scope of works

- i. Providing and fixing C.P. brass bib cock of approved quality as per specification.
- ii. Providing & fixing chrome plated brass battery based infrared sensor operated pillar cock, having foam flow technology.
- iii. Providing and fixing PTMT urinal cock of approved quality and colour as per specification laid down in Annexure V.
- iv. Providing and fixing PTMT 15 mm Urinal spreader size 95x69x100 mm with 1/2" BSP thread and shapes, weighing not less than 60 gm.
- v. Providing and fixing PTMT Bottle Trap for Wash basin and sink as per Annexure V.
- vi. Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws.
- vii. Providing and fixing 8 mm dia. C.P. / S.S. Jet with flexible tube up to 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer in charge.
- viii. Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &cold-water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing 25 mm, 40 mm & 80 mm nominal dia. Pipes as per Annexure V.
- ix. Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia.
- x. Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.
- xi. Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting





NIT No.: e-05/2023(Pur-Kol)

- and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.
- xii. Providing and fixing 600x450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.
- xiii. Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete: White solid plastic seat with lid.
- xiv. Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre-& post flushing with water as per Annexure V.
- xv. Providing and fixing factory made door frame (single rebate) made out of single piece extruded solid PVC foam profile with homogenous fine cellular structure having smooth outer integral skin as per Annexure V.
- xvi. 30 mm thick factory-made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a PVC hollow section of size 60x30 mm and wall thickness 2 mm (± 0.2 mm), with inbuilt decorative moulding edging on one side as per Annexure V.
- xvii. Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete. 10 litre capacity White.
- xviii. Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.
- xix. Flash Touch-Free Infrared Hand Dryer as per Annexure V.

Terms & Conditions:

- 1. Please read the terms & conditions carefully before filling up the document. Incomplete tender documents will be rejected.
- 2. Conditional or offline tender will not be accepted or the condition(s) may not be considered.
- 3. The Financial Bids of technically qualified bidder only will be opened.
- 4. Even after qualifying in technical bid, the financial bid may not be accepted if found not in order.
- 5. The tenderer must have at least 3 years of experience in the relevant field and execution of similar kind of works in the Govt., PSU, reputed MNCs/ organisations.
- 6. 'Credential' issued by the officer not below the rank of Exe. Engineer of the deptt./ sector will be accepted.
- 7. In case of L-1 is more than one, the selection criteria [viz. the past performance, experience, turnover, etc.] would be at the discretion of NIFT. The decision of NIFT, in this regard and for selection of successful bidder in such situation, will be final in all respect and will be binding on all the tenderers.
- 8. Lowest bid may not be the only criteria for selection and NIFT is not bound to issue work order to the agency being the 'L-1' bidder; weightage/ preference will also be given to the other factors, viz. previous experience, quality of service, number of client, yearly turnover, etc. to select the agency to award the work and the decision of NIFT in this regard and for selection of successful bidder will be final in all respect and will be binding on all the tenderers.
- 9. All Taxes & other charges, if any, should be mentioned clearly; otherwise, the rates will be treated as all inclusive. Statutory rates are subject to change and will be considered as may fixed by the Govt.





NIT No.: e-05/2023(Pur-Kol)

- 10. Average Annual financial turnover during the last 3 years, ending 31st March of the previous financial year, should be at least Rs.12.50 lakh.
- 11. Experience criteria: Experience of having successfully completed similar works during last 3 years ending last day of month previous to the one in which applications are invited should be either of the following:-
 - Three similar completed works costing not less than the amount equal to Rs.35 lakh.

or

b. Two similar completed works costing not less than the amount equal to Rs.25 lakh.

or

- c. One similar completed work costing not less than the amount equal to Rs. 10 lakh.
- 12. Definition of "similar work" should be clearly defined.
- 13. The successful bidder needs to deposit <u>Security Money of 10%</u> of the Work Order value through Demand Draft favoring NIFT Kolkata which will be refunded/ returned, without any interest, after one year from the date of completion of the work with deduction, if any and as applicable.
- 14. The works should be completed within 06 weeks from the date of receiving of Work Order failing which a penalty @0.5% of the order value per week will be imposed subject to a maximum of 10% of the Order Value. However, delay due to any applicable/ unforeseen reason, viz. natural calamity, non-availability of site etc., may/ may not be considered as may be decided by NIFT Authority.
- 15. All statutory obligations under various laws, imposed from time to time will have to be met by the contractor for which no extra payment shall be made to him. NIFT will no way be responsible for any default with regard to statutory obligation, if any.
- 16. The quotes should be valid for at least 3 months from the date of opening of the tender however, for the successful bidder the rates will be valid till completion of the job.
- 17. No payment shall be made in advance. The payment shall be made after commissioning of works and on the basis of certification by the concerned NIFT Official(s). TDS etc., if any and as applicable, will be deducted during payment.
- 18. The quantity of items of work may vary and payment will be made based on actual.
- 19. NIFT shall not provide any mode of transport in respect of men or material required by the contractor for execution of the work.
- 20. Any query/ clarification with respect to the tender (T&Cs, specification(s), etc.) may get cleared prior to submission of bid; concerned NIFT official(s) may be contacted in this regard in between 10 am to 5 pm on any working day (033-23357546). NIFT will not entertain or clarify any such query during post bid.
- 21. Works shall be executed at NIFT Campus, Block-LA, Plot-3B, Sector III, Salt Lake City, Kolkata 700106 by the successful bidder.
- 22. The schedule issued with the form of tender listing the details of item to be executed must not be altered by the tenderer. Any modifications/ alterations of the schedule considered necessary by the tenderer should be in a separate letter accompanying the tender.
- 23. The tender is liable to be rejected if complete information is not given or if the particulars and data (if any) asked for in the Schedule of the tender are not filled in correctly.
- 24. Tender shall be accompanied by the relevant documents including the following:
 - a) Copy of Trade License
 - b) Copy of GST Registration Certificate of the company/firm
 - c) Copy of PAN of the company/firm





NIT No.: e-05/2023(Pur-Kol)

- d) Copy of Professional Tax
- e) Annual Turnover
- f) Experience
- 25. As per NIFT policy, payments and receipts of Government and Semi Government Agencies would be rounded off to the next higher rupee and in other cases the rounding off will be to nearest i.e. paise 50 or above will be rounded off to the next higher rupee and paise less than 50 will be ignored.
- 26. The details specification of works has been provided at **Annexure 'V'**.
- 27. It is strongly recommended that the tenderer should inspect the site any time during working hours on any working day with prior appointment [contact no.033-2335-7546]; no extra shall be payable for non- awareness of the site conditions and constraints.
- 28. Tenderer must sign along with company seal on all the pages submitted with the tender document.
- 29. All disputes are subject to Kolkata Jurisdiction only.

30.

NIFT reserves the right to accept or reject any or all the tenders either fully or partly or may cancel the tender without assigning any reason and is not bound to accept the lowest bid since due weightage shall be given to several factors besides the commercial bid and decision of NIFT in this regard shall be final & binding on all the tenderers.





NIT No.: e-05/2023(Pur-Kol)

(TENDERER TO FILL UP THIS	PAGE)
---------------------------	-------

1. a	1. a. Name of the tenderer / organization						
b	b. Name of the proprietor/partner(s)						
C.	Date of E	Establishment:					
(_	specify as to whether Tender any			· ·		
2. a	. Address	(Office):					
C.	. Telephor Mobile N . Email Id.	0.:					
3. Li	ist of repu	ted clients:					
	SI. No.	Client's Name	Contact F	Person	Contact number (with email-id, if any)	Remarks, if any	
	1						
	2						
	3						
i) Cu ii) C iii) C iv) C v) C	urrent Trace opy of PA Copy of GS Document	pies of the following documer de License N [in the name of firm/agenc ST Registration Certificate supporting yearly turnover ofessional Tax					
5. DD [enclosed] details:							
1.	1. DD no, dtd, amt, bank[EMD]						
NB:		rer has to submit the entire so conal paper to furnish the abo			d while dropping the tender.		

ANNEXURE-II





NIT No.: e-05/2023(Pur-Kol)

TECHNICAL BID


for

Upgradation of sanitary items/fitting with some original works at existing all toilet complex, NIFT Kolkata

SI.	<u>Particulars</u>	Mention 'Yes' or 'No'
01	Whether Bid Securing Declaration Form enclosed	<u>160 01 110</u>
02	Whether capable and agreed to 10% of Work Order Value/cost as Security Deposit , if work order is awarded.	
03	Whether document in support of having minimum 3 (Three) years experience in execution of similar works along with a list of organizations (Govt., PSU, reputed MNCs/ organisations) where the Contractor is currently/earlier has executed similar/related (civil) job submitted.	
04	Whether 'Credential' duly issued by the officer not below the rank of Executive Engineer of the deptt./ sector has been submitted	
05	Whether Trade License for this kind of jobs enclosed	
06	Whether copy of Pan Card and GST Registration Certificate enclosed	
07	Whether copy of Professional Tax registration submitted	
08	Whether fulfill the minimum Annual turnover as mentioned in tender document duly signed by chartered Accountant. [Please attach relevant authentic documents (audit report from authorized chartered Accountant, P&L St., Income Tax Return etc.) as proof]	
09	Whether agreed to abide by all the terms & conditions of this tender	
10	Whether all Annexure-I, II, III & IV duly filled and 'undertaking' has been submitted with the Technical Bid	

All above enclosures should be valid







NIT No.: e-05/2023(Pur-Kol)

Annexure-III

Declaration by the Tenderer

This is to certify that I/We, before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by me/us.

I/We hereby undertake that the information provided above and elsewhere in the tender is true and the tender is liable to rejection if the same is found to be false or the information is found to have been suppressed by me/us.

(Signature of Tenderer with seal)
Name:
Seal:
Address:
Phone No (O):
Date:
(Seal & Signature of the tenderer with date & seal)





NIT No.: e-05/2023(Pur-Kol)

Annexure-IV
Bid Securing Declaration Form
Tender No. e-06/2021(Pur-Kol) Dated:
To The Director, National Institute of Fashion Technology, Block-LA, Plot-3B, Sector-III, Salt Lake City, Kolkata – 700106
I/ We, on behalf of M/s the undersigned, declare that:
I/ We understand that, according to your conditions, bids must be supported by a Bid Securing Declaration.
I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We
a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; orb) having been notified of the acceptance of .our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.
I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.
Signature with stamp (signature of person whose name and capacity are shown) in the capacity of (legal capacity of person signing the Bid Securing Declaration)
Name:
Dated on day of (date of signing)





NIT No.: e-05/2023(Pur-Kol)

ANNEXURE-V

FINANCIAL BID

For

Upgradation of sanitary items/fitting with some original works at existing all toilet complex, NIFT Kolkata

SI.	Item/ Page No.	Description	Unit	Qty.	Rate	Amount
No.		2555			(Rs)	(Rs)
1	CPWD, volume 02 (Civil) DSR 2021, 18.49.1, Pg. no.616/ 1599	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931: 15 mm nominal bore	Nos.	60 (±15%)		
2	CPWD, volume 02 (Civil) DSR 2021, 18.84.1, Pg. No.700/ 1683	Providing & fixing chrome plated brass battery based infrared sensor operated pillar cock, having foam flow technology. 15 mm nominal bore	Nos.	60 (±15%)		
3	CPWD, volume 02 (Civil) DSR 2021, 17.76.1, Pg. No.484/ 1466	Providing and fixing PTMT urinal cock of approved quality and colour. 15 mm nominal bore, 80 mm long, 42 mm high and 30mm wide with BSP female threads weighing not less than 48 gm.	Nos.	50 (±15%)		
4	CPWD, volume 02 (Civil) DSR 2021, 17.75, Pg. No.483/ 1466	Providing and fixing PTMT 15 mm Urinal spreader size 95x69x100 mm with 1/2" BSP thread and shapes, weighing not less than 60 gm.	Each	50 (±15%)		
5	CPWD, volume 02 (Civil) DSR 2021, 17.70.2, Pg. No.481/ 1463	Providing and fixing PTMT Bottle Trap for Wash basin and sink Bottle trap 38 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 263 gm.	Each	60 (±15%)		
6	CPWD, volume 02 (Civil) DSR 2021, 17.73.1, Pg. No.479/ 1363	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gm.	Each	25 (±15%)		
7	CPWD, volume 02 (Civil) DSR 2021, 17.16A, Pg. No.403/ 1386	Providing and fixing 8 mm dia. C.P. / S.S. Jet with flexible tube up to 1 metre long with S.S. triangular plate to European type W.C. of quality and make as approved by Engineer - in - charge.	Each	250 (±15%)		
8	CPWD, volume 02 (Civil) DSR 2021, 18.8.3, Pg. No.518/ 1501	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &coldwater supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm nominal dia. Pipes	m	1200 (±15%)		
9	CPWD, volume 02 (Civil) DSR 2021, 18.9.5, Pg. No.523/ 1506	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &coldwater supply including all CPVC plain & brass threaded fittings This includes jointing of pipes &	m	200 (±15%)		





	NIT No.: e-05/20				
		fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work. 40 mm nominal dia. Pipes			
10	CPWD, volume 02 (Civil) DSR 2021, 18.9.8, Pg. No.525/ 1507	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &coldwater supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work. 80 mm nominal dia. Pipes	m	100 (±15%)	
11	CPWD, volume 02 (Civil) DSR 2021, 17.28.2.1, Pg. No.415/ 1398	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia.	Each	100 (±15%)	
12	CPWD, volume 01 (Civil) DSR 2021, 11.56.1, Pg. No.890/ 881	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	Sqm	75 (±15%)	
13	CPWD, volume 02 (Civil) DSR 2021, 17.7.1, Pg. No.386/ 1369	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	Each	50 (±15%)	
14	CPWD, volume 02 (Civil) DSR 2021, 17.31, Pg. No.417/ 1399	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	Each	100 (±15%)	
15	CPWD, volume 02 (Civil) DSR 2021, 17.20.1, Pg. No.407/ 1390	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete: White solid plastic seat with lid	Each	100 (±15%)	
16	CPWD, volume 02 (Civil) DSR 2021, 17.80, Pg. No.488/ 1471	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre-& post flushing with water(250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	Each	50 (±15%)	
17	CPWD, volume 01 (Civil) DSR 2021, 9.123, Pg. No.657/ 648	Providing and fixing factory made door frame (single rebate) made out of single piece extruded solid PVC foam profile with homogenous fine cellular structure having smooth outer integral skin having 62 mm width & 32 mm thickness, frame will be mitred & Jointed with self-driven self-tapping screws of size 38 mm x 4 mm & PVC solvent cement, including fixing the frame to wall with	m	50 (±15%)	






NIT No.: e-05/2023(Pur-Kol)

	NII No.: e-05/20		1		
		suitable dia. & length anchor fastener as per			
		manufacturer's specification and direction of			
		Engineer-in-charge.			
18	CPWD, volume	30 mm thick factory-made Polyvinyl Chloride (PVC)	Sqm	30	
	01 (Civil) DSR	door shutter made of styles and rails of a PVC		(±15%)	
	2021, 9.118.2,	hollow section of size 60x30 mm and wall thickness		, ,	
	Pg. No.651/ 642	2 mm (± 0.2 mm), with inbuilt decorative moulding			
		edging on one side. The styles and rails mitred and			
		joint at the corners by means of M.S. galvanised/			
		plastic brackets of size 75x220 mm having wall			
		thickness 1.0 mm and stainless-steel screws. The			
		styles of the shutter reinforced by inserting			
		galvanised M.S. tube of size 25x20 mm and 1 mm			
		(± 0.1 mm) wall thickness. The lock rail made up of			
		'H' section, a PVC hollow section of size 100x30			
		mm and 2 mm (± 0.2 mm) wall thickness fixed to			
		the shutter styles by means of plastic/ galvanised			
		M.S. 'U' cleats. The shutter frame filled with a PVC			
		multi-chambered single panel of size not less than			
		620 mm, having over all thickness of 20 mm and 1			
		mm (± 0.1 mm) wall thickness. The panels filled			
		vertically and tie bar at two places by inserting			
		horizontally 6 mm galvanised M.S. rod and fastened			
		with nuts and washers, complete as per			
		manufacturer's specification and direction of			
		Engineer-in-charge.			
19	CPWD, volume	Providing and fixing P.V.C. low level flushing cistern	Each	20	
19	02 (Civil) DSR	with manually controlled device (handle lever)	Lacii	(±15%)	
	2021, 17.18.1,	conforming to IS: 7231, with all fittings and fixtures		(±1370)	
	Pg. No.405/	complete.10 litre capacity - White			
	1388	Complete. To little capacity - Writte			
20	CPWD, volume	Providing and fixing white vitreous china pedestal	Each	20	
23	02 (Civil) DSR	type (European type/ washdown type) water closet	Laoii	(±15%)	
	2021, 17.15, Pg.	pan.		(=.070)	
	No.402/ 1385	F			
21	MR	Flash Touch-Free Infrared Hand Dryer	Each	21	
		Material: Stainless Steel		(±15%)	
		Power:1350 W		\= · - · - /	
		Voltage: 220-240V ,50Hz			
		Motor: Brushless Motor			
		Air Speed: 82 m/s			
		Drying Time: 10-15 s			
			ı	Total Amour	nt
				GS	т
				Grand Total Amour	







NIT No.: e-05/2023(Pur-Kol)

FINANCIAL BID

	THOUSE BID	
		ANNEXURE-V
Grand Total: = Rs	(in figure)	
[Amount in Words:		

- **N.B.:a)** The rate of items shall be for execution of work at all levels and height. Nothing extra shall be paid on this account. The agency shall visit the site and satisfy himself as to conditions under which the work is to be performed. He shall also check and ascertain the locations if any existing structures or equipment or any other situations, which may affect the work. No extra claim for ignorance or on the ground of insufficient description will be allowed at a later date.
- **b)** All debris / rubbish accumulated due to the execution of work shall be disposed of / removed from the campus by the contractor without any extra charge.
- **c)** Tenderer to quote for all the items with GST to be mentioned specifically.
- d) The quantity of items may vary and payment will be made based on actual.