



No. File 4750(2)/Bldg/R&M/2016 (PART-II)

Date: 07.06.2019

NOTICE INVITING QUOTATIONS

Sealed Quotations are invited on behalf of National Institute of Fashion Technology, Navi Mumbai Center from Registered Contractor of CPWD, MPWD, MES, etc., & who have worked with Government Departments, reputed agencies who have carried out similar nature of works on item rate basis as per the requirement and details given in the schedule of items enclosed herewith.

The sealed quotation shall be super scribed with '**Quotation for Maintenance work at old KD Building 2nd floor dormitory, at plot No.15, at NIFT Campus, Mumbai,**' and to be submitted in the tender/quotation box kept at the ground floor of 'Administrative' block, NIFT campus, Navi Mumbai before **03.00 P.M. on 13.06.2019**. The quotations will be opened on the same day after 03.30 P.M.

The site can be inspected from 9.00am to 5.30 p.m. during working hours on any working days.

The NIFT reserves the right to accept or reject any quotation in part or whole without assigning any reason thereof.

General Terms & Conditions:

1. The rates shall include cost of labours & cost of material, transportation etc., complete in all respects for BOQ.
2. The agency must enclose copy of PAN Card of the company/individual/Firm.
3. The Agency must enclose copy of GST registration.
4. The copy of the registration certificate, if any is to be submitted along with the quotation.
5. The Agency must sign with seal on every page of the document.

Seal & Signature of the Agency

Date:



6. In case of any dispute raised by the Agency, a representation will be made only by the authorized representative of the Agency and the decision of the Director NIFT – Mumbai will be binding on the supplier.
7. The quoted rates shall include all taxes, duties, GST etc. as applicable and no extra shall be payable on this account.
8. The work has to be completed within a period of 30 days from date of issue of letter of award.
9. The Quote should be submitted in NIFT prescribed format only and conditional quotes shall not be considered.
10. Payment will be made as per the actual quantity and measurement no additional payment will be made.
11. Payment will be made after satisfactory completion of work and submission of original bill.
12. It is mandatory to quote for all the items of the price bid and L-1 will be decided on the basis of total quoted amount. If no item has been quoted it will be deemed to have been included in the quoted rates.
13. No payment shall be made in advance.

Address:
The Director
National Institute of Fashion Technology,
Plot No.15, Sector-4, Kharghar
Navi Mumbai-410210

Seal & Signature of the Agency

Date:



DETAILS OF THE AGENCY / TENDERER

Name of the Agency/Tenderer : _____

Name of the authorized person : _____

Address of the Agency : _____

Phone No.(land line no.) : _____

Mobile No. : _____

Email ID : _____

GST No. : _____

PAN No. : _____

Date of Submission : _____

LAST DATE OF SUBMISSION of QUOTATION: 13.06.2019 by 3.00 p.m.
DATE OF OPENING OF QUOTATION : 13.06.2019 by 3.30 p.m.

Encl: Price Schedule

Seal & Signature of the Agency

Date:



PRICE SCHEDULE

Name of work: Maintenance work at old KD Building 2nd floor dormitory, at plot No.15, at NIFT Campus, Mumbai.

Sr. No.	Description	Unit	Qty.	Rate in Rs.	Amount in Rs.
1	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: One or more coats on old work	Sqm.	600		
2	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	Sqm.	40		
3	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm.	40		
4	Painting with silicon & acrylic emulsion based water thinnable sealer of approved brand and manufacture on wet or patchy portion of plastered surfaces : One coat	Sqm.	40		
5	Water proofing treatment of RCC sunshade with Zycosil/equivalent water proofing Solution (1 litre of Zycosil/equivalent & 20 litres of water stirred first & 2 litres of Zycoprime/equivalent added and stirred (total 23 litres)) till it meets the saturation level and testing as per RILEM or by water drops test in which water drops do not absorb but drops remain or rolls.	Sqm.	95		
6	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	Sqm.	58		
7	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	Each	2		

Seal & Signature of the Agency

Date:



8	Removing of existing damaged glazing & Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less than 10 kg/ sqm)	Sqm.	8		
9	Taking out existing wooden door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge	Sqm.	15		
10	Providing and fixing oxidised M.S. casement stays (straight peg type) with necessary screws etc. complete. 200 mm weighing not less than 120 gms	Each	15		
11	Providing and fixing casement handle made of zinc alloyed (white powder coated) for uPVC casement window with necessary screws etc. complete.	Each	8		
12	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	Kg.	5		

Seal & Signature of the Agency

Date:



13	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with aluminium beading and nuts & bolts complete. Stainless steel (grade 304) wire gauze of 0.5 mm dia wire and 1.4 mm aperture on both sides	sqm.	13		
14	6 mm plaster on cement concrete or reinforced cement concrete work with white cement based polymer modified self curing mortar of approved make as per the direction of Engineer-In-Charge	Sqm.	10		
15	Without damaging removing /dismantling wooden boardings in lining of walls and partitions, excluding supporting members but including stacking within 50 metres lead : Up to 10 mm thick	Sqm.	15		
16	Without damaging removing /dismantling wooden boardings in lining of walls and partitions, excluding supporting members but including stacking within 50 metres lead : Thickness above 10 mm up to 25 mm	Sqm.	62.2		
17	Without damaging removing /dismantling wooden boardings in lining of walls and partitions, excluding supporting members but including stacking within 50 metres lead : Thickness above 25 mm up to 60 mm	Sqm.	18.3		
18	Repairing and fixing of 60 mm thick existing partition i.e. including cost of wherever required lamination, wooden frames, fevicol, nut bolt / fasteners required if any to complete the work, including cost of all labour and material charges etc., complete as per direction of Engineer in charge.	Sqm.	24		
19	Reparing and fixing of up to 12 mm thick glass on the existing partition i.e. including cost of cleat if any required to complete the job, including cost of all materials and labour charges etc., complete as per direction of Engineer in charge.	Sqm.	12		
20	Providing wood work in frames of false ceiling, partitions etc. sawn and fixed in position with necessary stainless steel screws etc. Kiln seasoned and chemically treated hollock wood	Cum.	0.11		

Seal & Signature of the Agency

Date:



21	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows: Particle Board 12 mm thick: Pre-laminated particle board with decorative lamination on both sides, Grade I, Type II, IS:12823 marked	Sqm.	10.5		
22	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows: Float glass panes : 4 mm thick glass pane (weight not less than 10 kg per sqm)	Sqm.	10.5		
23	Extra for providing frosted glass panes 4 mm thick instead of ordinary float glass panes 4 mm thick in doors, windows and clerestory window shutters.:	Sqm.	10.5		
	Sub total				
	GST _____%				
	Total				

Amount in words Rupees _____

_____ only)

Seal & Signature of the Agency

Date: